



WILO	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L

CIRCOLATORI SINGOLI a bocchettoni/SINGLE CIRCULATORS with unions

Star-RS 25/4	505100962	VA 25/130	1	H	1 1/2"	130
Star-RS 25/4	505130962	VA 25/180	1	H	1 1/2"	180
Star-RS 30/4	505140962	VA 25/180X	1	H	2"	180
Star-RS 25/4	505100182	VA 35/130	1	M	1 1/2"	130
-	505110182	VA 35/130 1/2"	1	M	1"	130
Star-RS 25/4	505130182	VA 35/180	1	M	1 1/2"	180
Star-RS 30/4	505140182	VA 35/180X	1	M	2"	180
Star-RS 25/6	505102182	VA 55/130	1	M	1 1/2"	130
-	505112182	VA 55/130 1/2"	1	M	1"	130
Star-RS 25/6	505132182	VA 55/180	1	M	1 1/2"	180
Star-RS 30/6	505142182	VA 55/180X	1	M	2"	180
-	505104182	VA 65/130	1	M	1 1/2"	130
-	505114182	VA 65/130 1/2"	1	H	1"	130
Star-RS 25/7	505134182	VA 65/180	1	H	1 1/2"	180
Star-RS 30/7	505144182	VA 65/180 X	1	H	2"	180

CIRCOLATORI SINGOLI flangiati/SINGLE CIRCULATORS with oval flanges

Star-RS 25/4	505400182	VB 35/120	1	M	25	120
Star-RS 25/6	505402182	VB 55/120	1	M	25	120
-	505404182	VB 65/120	1	H	25	120

CIRCOLATORI GEMELLARI flangiati/TWIN flanged circulators

TOP-SD 32/7	505610162	VD 55/220.32	1	H	32	220
TOP-SD 32/7	505620162	VD 65/220.32	1	H	32	220

CIRCOLATORI SINGOLI con degasatore incorporato/CIRCULATORS with air separator

RSL 15/6	505114022	VA 60/130 - 1/2" A	1	M		130
----------	-----------	--------------------	---	---	--	-----

CIRCOLATORI per impianti di acqua sanitaria/HOT WATER CIRCULATORS

Star-Z 20/1	505701022	VS 8/150 M	1	L	1 1/2"	150
Star-Z 25/2	505703022	VS 16/150 M	1	L	1 1/2"	150
Star-Z 25/2	505700022	VS 35/150 M	1	H	1 1/2"	150
TOP-Z 30	505702022	VS 65/150 M	1	H	1 1/2"	150

CIRCOLATORI SINGOLI a bocchettoni/SINGLE CIRCULATORS with unions

Star RS 30/2	505800040	A 20/180 XM	1	L	2"	180
-	505802040	A 50/180 XM	1	H	2"	180
TOP-S 30/7	505802670	A 50/180 XT - 400 v	3	H	2"	180
-	505802550	A 50/180 XT -230 v	1			
TOP-S 30/7	505804040	A 56/180 XM	1	H	2"	180
TOP-S 30/7	505804670	A 56/180 XT - 400 v	3	H	2"	180
-	505804550	A 56/180 XT - 230 v	1			
TOP-S 30/10	505806040	A 80/180 XM	1	H	2"	180
TOP-S 30/10	505806670	A 80/180 XT - 400 v	3	H	2"	180
-	505806550	A 80/180 XT -230 v	1			

CIRCOLATORI SINGOLI flangiati/SINGLE flanged circulators

TOP-S 40/7	505812040	B 50/250.40 M	1	H	40	250
TOP-S 40/7	505812670	B 50/250.40 T - 400 v	3	H	40	250
-	505812550	B 50/250.40 T -230 v	1			
TOP-S 40/7	505814040	B 56/250.40 M	1	H	40	250
TOP-S 40/7	505814670	B 56/250.40 T - 400 v	3	H	40	250
-	505814550	B 56/250.40 T - 230 v	1			
TOP-S 40/10	505816040	B 80/250.40 M	1	H	40	250
TOP-S 40/10	505816670	B 80/250.40 T - 400 v	3	H	40	250
-	505816550	B 80/250.40 T - 230 v	1			

CIRCOLATORI GEMELLARI flangiati/TWIN flanged circulators

TOP SD 40/7	505822040	D 50/250.40 M	1	H	40	250
TOP SD 40/7	505822670	D 50/250.40 T - 400 v	3	H	40	250
-	505822550	D 50/250.40 T - 230 v	1			
TOP SD 40/7	505824040	D 56/250.40 M	1	H	40	250
TOP SD 40/7	505824670	D 56/250.40 T - 400 v	3	H	40	250
-	505824550	D 56/250.40 T - 230 v	1			
TOP SD 40/10	505826040	D 80/250.40 M	1	H	40	250
TOP SD 40/10	505826670	D 80/250.40 T - 400 v	3	H	40	250
-	505826550	D 80/250.40 T -230 v	1			

CIRCOLATORI COLLETTIVI SINGOLI flangiati/SINGLE flanged circulators

-	505900622	BMH 30/250.40T	3	L	40	250
TOP-S 40/7	505904002	BPH 60/250.40M	1	H	40	250
TOP-S 40/7	505904622	BPH 60/250.40T	3	H	40	250
-	505907002	BPH 120/250.40M	1	H	40	250



WILO	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
TOP-S 40/10	505907622	BPH 120/250.40T	3	H	40	250
-	505920622	BMH 30/280.50T	3	L	50	280
-	505923622	BMH 60/280.50T	3	L	50	280
-	505924002	BPH 60/280.50M	1	H	50	280
TOP-S 50/7	505924622	BPH 60/280.50T	3	H	50	280
TOP-S 50/10	505927622	BPH 120/280.50T	3	H	50	280
-	505928622	BPH 150/280.50T	3	H	50	280
-	505929622	BPH 180/280.50T	3	H	50	280
-	505940622	BMH 30/340.65T	3	L	65	340
-	505943622	BMH 60/340.65T	3	L	65	340
-	505944002	BPH 60/340.65M	1	H	65	340
TOP-S 65/7	505944622	BPH 60/340.65T	3	H	65	340
TOP-S 65/10	505947622	BPH 120/340.65T	3	H	65	340
TOP-S 65/13	505948622	BPH 150/340.65T	3	H	65	340
-	505949622	BPH 180/340.65T	3	H	65	340
-	505960122	BMH 30/360.80T	3	L	80	360
-	505963122	BMH 60/360.80T	3	L	80	360
TOP-S 80/10	505967122	BPH 120/360.80T	3	H	80	360
-	505968122	BPH 150/360.80T	3	H	80	360
-	505969122	BPH 180/360.80T	3	H	80	360
DIALOGUE: CIRCOLATORI COLLETTIVI SINGOLI E GEMELLARI ELETTRONICI						
TOP-E 40/1-4		BPH-E 60/250.40 M	1	L	40	250
TOP-ED 40/1-7		DPH-E 60/250.40 M	1	L	40	250
TOP-E 40/1-10		BPH-E 120/250.40 M	1	L	40	250
TOP-ED 40/1-10		DPH-E 120/250.40 M	1	L	40	250
TOP-E 50/1-7		BPH-E 60/280.50 M	1	L	50	280
TOP-ED 50/1-7		DPH-E 60/280.50 M	1	L	50	280
TOP-E 50/1-10		BPH-E 120/280.50 M	1	L	50	280
TOP-ED 50/1-10		DPH-E 120/280.50 M	1	L	50	280
-		BPH-E 180/280.50 M	1	L	50	280
-		DPH-E 180/280.50 M	1	L	50	280
-		BPH-E 60/340.65 M	1	L	65	340
-		DPH-E 60/340.65 M	1	L	65	340
TOP-E 65/1-10		BPH-E 120/340.65 M	1	L	65	340
TOP-ED 65/1-10		DPH-E 120/340.65 M	1	L	65	340
-		BPH-E 150/340.65 M	1	L	65	340
-		DPH-E 150/340.65 M	1	L	65	340
TOP-E 80/1-10		BPH-E 120/360.80 M	1	L	80	360
TOP-ED 80/1-10		DPH-E 120/360.80 M	1	L	80	360
CIRCOLATORI COLLETTIVI GEMELLARI flangiati/TWIN flanged circulators						
DOP 40-100r	505910622	DMH 30/250.40 T	3	L	40	250
TOP-SD 40/7	505914002	DPH 60/250.40 M	1	H	40	250
TOP-SD 40/7	505914622	DPH 60/250.40 T	3	H	40	250
-	505917002	DPH 120/250.40 M	1	H	40	250
TOP-SD 40/10	505917622	DPH 120/250.40 T	3	H	40	250
DOP 50-100r	505930622	DMH 30/280.50 T	3	L	50	280
-	505933622	DMH 60/280.50 T	3	L	50	280
-	505934002	DPH 60/280.50 M	1	H	50	280
TOP-SD 50/7	505934622	DPH 60/280.50 T	3	H	50	280
TOP-SD 50/10	505937622	DPH 120/280.50 T	3	H	50	280
-	505938622	DPH 150/280.50T	3	H	50	280
-	505939622	DPH 180/280.50T	3	H	50	280
-	505950622	DMH 30/340.65 T	3	L	65	340
DOP 65/125r	505953622	DMH 60/340.65 T	3	L	65	340
TOP-SD 65/10	505954002	DPH 60/340.65 M	1	H	65	340
TOP-SD 65/10	505954622	DPH 60/340.65 T	3	H	65	340
TOP-SD 65/13	505957622	DPH 120/340.65 T	3	H	65	340
-	505958622	DPH 150/340.65 T	3	H	65	340
-	505959622	DPH 180/340.65T	3	H	65	340
-	505970122	DMH 30/360.80 T	3	L	80	360
DOP 80/125r	505973122	DMH 60/360.80 T	3	L	80	360
TOP-SD 80/10	505977122	DPH 120/360.80 T	3	L	80	360
-	505978122	DPH 150/360.80 T	3	L	80	360
-	505979122	DPH 180/360.80T	3	L	80	360
CIRCOLATORI ELETTRONICI SINGOLI a bocchettoni/SINGLE ELECTRONIC CIRCULATORS with unions						
-	505200182	VEA 35/130	1	H	1 1/2"	130
-	505210182	VEA 35/130 - 1/2"	1		1"	130



WILO	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
Star-E 25/1-3	505230182	VEA 35/180	1	H	1 1/2"	180
Star-E 30/1-3	505240182	VEA 35/180 X	1		2"	180
-	505202182	VEA 55/130	1	H	1 1/2"	130
-	505212182	VEA 55/130 - 1/2"	1		1"	130
Star-E 25/1-5	505232182	VEA 55/180	1	H	1 1/2"	180
Star-E 30/1-5	505242182	VEA 55/180 X	1		2"	180
-	505204182	VEA 65/130	1	H	1 1/2"	130
-	505214182	VEA 65/130 - 1/2"	1		1"	130
TOP-E 25/1-7	505234182	VEA 65/180	1	H	1 1/2"	180
TOP-E 30/1-7	505244182	VEA 65/180 X	1	H	2"	180
CIRCOLATORI ELETTRONICI SINGOLI flangiati/SINGLE flanged electronic circulators						
TOP-E 30/1-7	505980000	VEA 40/190 XM(filettato)	1	L	2"	190
TOP-E 30/1-7	505980300	VEA 80/180 XM (filettato)	1	M	2"	180
TOP-EV 40/1-4	505980050	VEB 40/250.40 M	1	L	40	250
TOP-E 40/1-10	505980400	VEB 100/250.40 M	1	H	40	250
TOP-EV 50/1-6	505980100	VEB 55/270.50 M	1	L	50	270
TOP-E 65/1-10	505980150	VEB 90/340.65 M	1	L	65	340
TOP-E 80/1-10	505980700	VEB 90/400.80 T	3	L	80	400
TOP-E 100/1-10	505980750	VEB 110/450.100 T	3	L	100	450
CIRCOLATORI ELETTRONICI GEMELLARI flangiati/TWIN flanged electronic circulators						
TOP-ED 40/1-7	505981050	DEB 40/250.40 M	1	L	40	250
TOP-ED 40/1-10	505981400	DEB 100/250.40 M	1	H	40	250
TOP-ED 50/1-7	505981100	DEB 55/270.50 M	1	L	50	270
TOP-ED 65/1-10	505981150	DEB 90/340.65 M	1	L	65	340
TOP-ED 80/1-10	505981700	DEB 90/400.80 T	3	L	80	400
-	505981750	DEB 110/450.100 T	3	L	100	450
POMPE IN LINEA SINGOLE a bocchettoni/SINGLE IN-LINE PUMPS with unions						
-	105100000	ALM 200 M	1	L	1 1/2"	180
-	105100014	ALM 200 T	3	L	1 1/2"	180
-	105100084	ALP 800 M	1	H	1 1/2"	180
-	105100094	ALP 800 T	3	H	1 1/2"	180
-	105100024	ALM 500 M	1	L	2"	250
-	105100034	ALM 500 T	3	L	2"	250
-	105100124	ALP 2000 M	1	H	2"	250
-	105100134	ALP 2000 T	3	H	2"	250
POMPE IN LINEA SINGOLE flangiate/SINGLE IN-LINE PUMPS						
-	105110404	KLM 40-300 M	1	L	40	250
IPL 40/130-0,25/4	105110014	KLM 40-300 T	3	L	40	250
-	105110414	KLP 40-600 M	1	H	40	250
-	105110214	KLP 40-600 T	3	H	40	250
-	105110424	KLP 40-900 M	1	H	40	250
-	105110224	KLP 40-900 T	3	H	40	250
-	105110434	KLP 40-1200 M	1	H	40	250
IPL 40/115-0,55/2	105110234	KLP 40-1200 T	3	H	40	250
-	105110444	KLM 50-300 M	1	L	50	280
-	105110054	KLM 50-300 T	3	L	50	280
-	105110454	KLM 50-600 M	1	L	50	280
IPL 50/130-0,37/4	105110074	KLM 50-600 T	3	L	50	280
-	105110464	KLP 50-900 M	1	H	50	280
-	105110244	KLP 50-900 T	3	H	50	280
-	105110474	KLP 50-1200 M	1	H	50	280
IPL 50/115-0,75/2	105110254	KLP 50-1200 T	3	H	50	280
-	105110094	KLM 65-300 T	3	L	65	340
-	105110114	KLM 65-600 T	3	L	65	340
-	105110280	KLP 65-900 T	3	H	65	340
IPL 65/115-1,5/2	105110290	KLP 65-1200 T	3	H	65	340
-	105110134	KLM 80-300 T	3	L	80	360
-	105110150	KLM 80-600 T	3	L	80	360
-	105110320	KLP 80-900 T	3	H	80	360
IPL 80/115-2,2/2	105110330	KLP 80-1200 T	3	H	80	360
POMPE IN LINEA GEMELLARI flangiate/TWIN IN-LINE PUMPS						
-	105210404	DKLM 40-300 M	1	L	40	250
DPL 40/130-0,25/4	105210010	DKLM 40-300 T	3	L	40	250
-	105210414	DKLP 40-600 M	1	H	40	250
-	105210210	DKLP 40-600 T	3	H	40	250
-	105210424	DKLP 40-900 M	1	H	40	250
-	105210220	DKLP 40-900 T	3	H	40	250



WILO	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
-	105210434	DKLP 40-1200 M	1	H	40	250
DPL 40/115-0,55/2	105210230	DKLP 40-1200 T	3	H	40	250
-	105210444	DKLM 50-300 M	1	L	50	280
-	105210050	DKLM 50-300 T	3	L	50	280
-	105210454	DKLM 50-600 M	1	L	50	280
DPL 50/130-0,37/4	105210070	DKLM 50-600 T	3	L	50	280
-	105210464	DKLP 50-900 M	1	H	50	280
-	105210240	DKLP 50-900 T	3	H	50	280
-	105210474	DKLP 50-1200 M	1	H	50	280
DPL 50/115-0,75/2	105210250	DKLP 50-1200 T	3	H	50	280
-	105210090	DKLM 65-300 T	3	L	65	340
DPL 60/130-0,55/4	105210110	DKLM 65-600 T	3	L	65	340
-	105210280	DKLP 65-900 T	3	H	65	340
DPL 65/115-1,5/2	105210290	DKLP 65-1200 T	3	H	65	340
-	105210130	DKLM 80-300 T	3	L	80	360
DPL 80/130-0,75/4	105210150	DKLM 80-600 T	3	L	80	360
-	105210320	DKLP 80-900 T	3	H	80	360
DPL 80/115-2,2/2	105210330	DKLP 80-1200 T	3	H	80	360
POMPE IN LINEA SINGOLE flangiate/SINGLE IN-LINE PUMPS (2 poles)						
-	105130050	CP 40/1900 T	3	H	40	390
IPn 40/125-1,1/2	105130070	CP 40/2300 T	3	H	40	390
IPn 40/140-1,5/2	105130090	CP 40/2700 T	3	H	40	390
IPn 40/160-2,2/2	105130110	CP 40/3500 T	3	H	40	390
-	105130300	CP 40/3800 T	3	H	40	390
IPn 40/180-4/2	105130310	CP 40/4700 T	3	H	40	390
IPn 40/180-5,5/2	105130320	CP 40/5500 T	3	H	40	390
IPn 40/200-7,5/2	105130330	CP 40/6200 T	3	H	40	390
-	105130170	CP 50/2200 T	3	H	50	425
IPn 50/125-1,5/2	105130190	CP 50/2600 T	3	H	50	425
IPn 50/140-2,2/2	105130210	CP 50/3100 T	3	H	50	425
IPn 50/160-3/2	105130230	CP 50/4100 T	3	H	50	425
IPn 50/180-5,5/2	105130340	CP 50/4600 T	3	H	50	400
IPn 50/180-7,5/2	105130350	CP 50/5100 T	3	H	50	400
-	105130360	CP 50/5650 T	3	H	50	400
IPn 65/125-2,2/2	105130370	CP 65/1700 T	3	H	65	360
IPn 65/140-3/2	105130380	CP 65/2100 T	3	H	65	360
-	105130390	CP 65/2550 T	3	H	65	360
IPn 65/160-5,5/2	105130400	CP 65/3250 T	3	H	65	400
IPn 65/180-9/2	105130410	CP 65/3700 T	3	H	65	400
IPn 65/200-11/2	105130420	CP 65/5100 T	3	H	65	440
-	105130430	CP 65/5800 T	3	H	65	440
IPn 80/160-7,5/2	105130440	CP 80/3050 T	3	H	80	440
-	105130450	CP 80/3650 T	3	H	80	440
-	105130460	CP 80/4100 T	3	H	80	440
-	105130470	CP 80/4400 T	3	H	80	500
-	105130480	CP 80/5100 T	3	H	80	500
-	105130490	CP 80/5700 T	3	H	80	500
IPn 100/160-7,5/2	105130500	CP 100/2400 T	3	H	100	525
-	105130510	CP 100/2850 T	3	H	100	525
-	105130520	CP 100/3400 T	3	H	100	525
-	105130530	CP 100/4200 T	3	H	100	550
-	105130540	CP 100/4700 T	3	H	100	550
-	105130550	CP 100/5500 T	3	H	100	550
-	105130560	CP 100/5700 T	3	H	100	550
-	105130570	CP 100/6800 T	3	H	100	600
POMPE IN LINEA GEMELLARI/TWIN IN-LINE PUMPS (2 poles)						
-	105230300	DCP 40-1250 T	3	H	40	340
-	105230310	DCP40-1650 T	3	H	40	340
-	105230320	DCP 40-2050 T	3	H	40	340
-	105230330	DCP 40-2450 T	3	H	40	340
-	105230340	DCP 50-1550 T	3	H	50	365
DPn 50/125-1,5/2	105230350	DCP 50-1900 T	3	H	50	365
DPn 50/140-2,2/2	105230360	DCP 50-2450 T	3	H	50	365
-	105230370	DCP 50-3000 T	3	H	50	365
-	105230380	DCP 50-3650 T	3	H	50	410
DPn 65/140-3/2	105230390	DCP 65-2300 T	3	H	65	410
-	105230400	DCP 65-2650 T	3	H	65	450



WILO	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
-	105230410	DCP 65-3250 T	3	H	65	450
-	105230420	DCP 65-3700 T	3	H	65	450
-	105230430	DCP 80-2530 T	3	H	80	450
-	105230440	DCP 80-3050 T	3	H	80	510
-	105230450	DCP 80-3650 T	3	H	80	510
-	105230460	DCP 80-4100 T	3	H	80	510
-	105230470	DCP 100-2450 T	3	H	100	630
-	105230480	DCP 100-2750 T	3	H	100	630
-	105230490	DCP 100-2800 T	3	H	100	630
-	105230500	DCP 100-2900 T	3	H	100	630
-	105230510	DCP 100-3300 T	3	H	100	630
-	105230520	DCP 100-3750 T	3	H	100	630
CM 4 POLI (4poles)						
-	105121290	CM 40-440 T	3	L	40	390
IPn 40/125-0,55/4	105121310	CM 40-540 T	3	L	40	390
-	105121330	CM 40-670 T	3	L	40	390
IPn 40/160-0,55/4	105121350	CM 40-870 T	3	L	40	390
IPn 40/200-0,75/4	105122100	CM 40-1300 T	3	L	40	380
IPn 40/224-1,1/4	105122110	CM 40-1450 T	3	L	40	380
-	105121470	CM 50-510 T	3	L	50	425
-	105121490	CM 50-630 T	3	L	50	425
IPn 50/160-0,55/4	105121510	CM 50-780 T	3	L	50	425
IPn 50/180-0,75/4	105121530	CM 50-1000 T	3	L	50	425
IPn 50/200-1,1/4	105122120	CM 50-1270 T	3	L	50	400
IPn 50/224-1,5/4	105122130	CM 50-1420 T	3	L	50	400
IPn 65/125-0,55	105120430	CM 65-550 T	3	L	65	475
-	105120450	CM 65-650 T	3	L	65	475
IPn 65/160-0,75/4	105121670	CM 65-850 T	3	L	65	475
-	105121690	CM 65-960 T	3	L	65	475
IPn 65/180-1,5/4	105120510	CM 65-1280 T	3	L	65	475
IPn 65/200-2,2/4	105120530	CM 65-1400 T	3	L	65	475
IPn 80/125-0,55/4	105121810	CM 80-560 T	3	L	80	525
IPn 80/160-1,1/4	105121830	CM 80-650 T	3	L	80	525
-	105120650	CM 80-900 T	3	L	80	525
IPn 80/180-2,2/4	105120670	CM 80-980 T	3	L	80	525
-	105120690	CM 80-1200 T	3	L	80	525
IPn 80/200-3/4	105120700	CM 80-1330 T	3	L	80	525
IPn 80/224-4/4	105120710	CM 80-1500 T	3	L	80	525
-	105120810	CM 100-350 T	3	L	100	550
IPn 100/160-1,1/4	105122030	CM 100-550 T	3	L	100	550
-	105120870	CM 100-750 T	3	L	100	550
IPn 100/180-2,2/4	105120880	CM 100-950 T	3	L	100	550
IPn 100/224-4/4	105120890	CM 100-1500 T	3	L	100	550
IPn 100/250-5,5/4	105120900	CM 100-1800 T	3	L	100	630
?	105120910	CM 100-2000 T	3	L	100	630
IPn 125/200-4/4	105121000	CM 125-880 T	3	L	125	630
IPn 125/250-7,5/4	105121010	CM 125-1500 T	3	L	125	630
IPn 125/280-11/4	105121020	CM 125-2400 T	3	L	125	630
IPn 150/200-5,5/4	105121080	CM 150-1000 T	3	L	150	690
IPn 150/224-7,5/4	105121090	CM 150-1250 T	3	L	150	690
IPn 150/250-11/4	105121100	CM 150-1700 T	3	L	150	755
IPn 150/280-15/4	105121110	CM 150-2100 T	3	L	150	755
IPn 150/280-18,5/4	105121120	CM 150-2350 T	3	L	150	755
DCM POMPE GEMELLARI/TWIN IN-LINE PUMPS (4 poles)						
-	105222100	DCM 40-380 T	3	L	40	340
-	105222110	DCM 40-460 T	3	L	40	340
-	105222120	DCM 40-620 T	3	L	40	340
DPn 50/125-0,55/4	105222130	DCM 50-460 T	3	L	50	365
-	105222140	DCM 50-630 T	3	L	50	365
DPn 50/160-0,55/4	105222150	DCM 50-880 T	3	L	50	410
DPn 65/125-0,55/4	105222160	DCM 65-670 T	3	L	65	450
DPn 65/160-0,75/4	105222170	DCM 65-820 T	3	L	65	450
DPn 65/180-1,5/4	105222180	DCM 65-900 T	3	L	65	450
-	105222190	DCM 80-630 T	3	L	80	510
-	105222200	DCM 80-730 T	3	L	80	510
DPn 80/160-1,1/4	105222210	DCM 80-860 T	3	L	80	510
DPn 80/180-2,2/4	105222220	DCM 80-1020 T	3	L	80	510



WILO	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
DPn 100/160-1,1/4	105222230	DCM 100-820 T	3	L	100	630
DPn 100/180-2,2/4	105222240	DCM 100-1000 T	3	L	100	630
DPn 100/200-3/4	105222250	DCM 100-1200 T	3	L	100	630
DPn 100/224-4/4	105222260	DCM 100-1450 T	3	L	100	630
ELETRONICI FLANGIATI/SINGLE ELECTRIC PUMPS						
-	105110610	KLPE 40/600 M	1	H	40	250
IP-E 40/2-12 (tri)	105110630	KLPE 40/1200 M	1	H	40	250
-	105110650	KLME 50/600 M	1	L	50	280
IP-E 50/2-12 (tri)	105110670	KLPE 50/1200 M	1	H	50	280
-	105110690	KLME 65/600 M	1	L	65	340
IP-E 65/2-15 (+H)	105110710	KLPE 65/1200 T	3	H	65	340
-	105110730	KLME 80/600 M	1	L	80	360
IP-E 80/2-15 (+H)	105110750	KLPE 80/1200 T	3	H	80	360
ELETRONICI GEMELLARI/TWIN ELECTRIC PUMPS						
-	105210610	DKLPE 40/600 M	1	H	40	250
-	105210630	DKLPE 40/1200 M	1	H	40	250
-	105210650	DKLME 50/600 M	1	L	50	280
-	105210670	DKLME 50/1200 M	1	L	50	280
-	105210690	DKLME 65/600 M	1	L	65	340
DP-E 65/2-15	105210710	DKLPE 65/1200 T	3	H	65	340
-	105210730	DKLME 80/600 M	1	L	80	360
DP-E 80/2-15	105210750	DKLPE 80/1200 T	3	H	80	360
CME ELETRONICI 4 poli/ELECTRIC PUMPS 4 poles						
-	105124010	CME 40/450 M	1	L	40	390
-	105124030	CME 40/870 M	1	L	40	390
-	105124050	CME 50/630 M	1	L	50	425
-	105124070	CME 50/1000 M	1	L	50	425
-	105124090	CME 65/650 M	1	L	65	475
-	105124110	CME 65/960 M	1	L	65	475
-	105124130	CME 65/1400 T	3	L	65	475
-	105124150	CME 80/650 M	1	L	80	525
-	105124170	CME 80/980 T	3	L	80	525
-	105124200	CME 80/1330 T	3	L	80	525
-	105124220	CME 100/550 M	1	L	100	550
-	105124240	CME 100/950 T	3	L	100	550
-	105124250	CME 100/1500 T	3	L	100	550
-	105124260	CME 100/1800 T	3	L	100	630
-	105124270	CME 100/2000 T	3	L	100	630
-	105124280	CME 125/880 T	3	L	125	630
-	105124290	CME 125/1500 T	3	L	125	630
-	105124310	CME 150/1000 T	3	L	150	690
-	105124320	CME 150/1250 T	3	L	150	690

* VELOCITA :

L = velocità bassa (Low)

M = velocità media (Medium)

H = velocità alta (High)



GRUNDFOS	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L

CIRCOLATORI SINGOLI a bocchettoni/SINGLE CIRCULATORS with unions

-	505100962	VA 25/130	1	H	1 1/2"	130
-	505130962	VA 25/180	1	H	1 1/2"	180
-	505140962	VA 25/180X	1	H	2"	180
UPS 25-40	505100182	VA 35/130	1	M	1 1/2"	130
UPS 15-40	505110182	VA 35/130 1/2"	1	M	1"	130
UPS 25-40	505130182	VA 35/180	1	M	1 1/2"	180
UPS 32-40	505140182	VA 35/180X	1	M	2"	180
UPS 25-50	505102182	VA 55/130	1	M	1 1/2"	130
UPS 15-50	505112182	VA 55/130 1/2"	1	M	1"	130
UPS 25-50	505132182	VA 55/180	1	M	1 1/2"	180
UPS 32-50	505142182	VA 55/180X	1	M	2"	180
-	505104182	VA 65/130	1	M	1 1/2"	130
UPS 15-60	505114182	VA 65/130 1/2"	1	H	1"	130
UPS 25-55	505134182	VA 65/180	1	H	1 1/2"	180
UPS 32-55	505144182	VA 65/180 X	1	H	2"	180

CIRCOLATORI SINGOLI flangiati/SINGLE CIRCULATORS with oval flanges

UPS 21-40	505400182	VB 35/120	1	M	25	120
UPS 21-50	505402182	VB 55/120	1	M	25	120
-	505404182	VB 65/120	1	H	25	120

CIRCOLATORI GEMELLARI flangiati/TWIN flanged circulators

UPSD 32-30F	505610162	VD 55/220.32	1	H	32	220
UPSD 32-60	505620162	VD 65/220.32	1	H	32	220

CIRCOLATORI SINGOLI con degasatore incorporato/CIRCULATORS with air separator

UPS 15/60 AO	505114022	VA 60/130 - 1/2" A	1	M		130
--------------	-----------	--------------------	---	---	--	-----

CIRCOLATORI per impianti di acqua sanitaria/HOT WATER CIRCULATORS

UP 20-07 N	505701022	VS 8/150 M	1	L	1 1/2"	150
UP 20-15 N	505703022	VS 16/150 M	1	L	1 1/2"	150
UP 20-30 N	505700022	VS 35/150 M	1	H	1 1/2"	150
UPS 20-45	505702022	VS 65/150 M	1	H	1 1/2"	150

CIRCOLATORI SINGOLI a bocchettoni/SINGLE CIRCULATORS with unions

UPS 32-20	505800040	A 20/180 XM	1	L	2"	180
UPS 32-60	505802040	A 50/180 XM	1	H	2"	180
UP 32-55	505802670	A 50/180 XT - 400 v	3	H	2"	180
-	505802550	A 50/180 XT -230 v	1			
UPS 32-80	505804040	A 56/180 XM	1	H	2"	180
UP 32-80	505804670	A 56/180 XT - 400 v	3	H	2"	180
-	505804550	A 56/180 XT - 230 v	1			
UPS 32-80	505806040	A 80/180 XM	1	H	2"	180
UP 32-80	505806670	A 80/180 XT - 400 v	3	H	2"	180
-	505806550	A 80/180 XT -230 v	1			

CIRCOLATORI SINGOLI flangiati/SINGLE flanged circulators

UPS 40-50F	505812040	B 50/250.40 M	1	H	40	250
UP 40-50F	505812670	B 50/250.40 T - 400 v	3	H	40	250
UP 40-50F	505812550	B 50/250.40 T -230 v	1			
UPS 40-60F	505814040	B 56/250.40 M	1	H	40	250
-	505814670	B 56/250.40 T - 400 v	3	H	40	250
-	505814550	B 56/250.40 T - 230 v	1			
UPS 40-80F	505816040	B 80/250.40 M	1	H	40	250
UPS 40-80F	505816670	B 80/250.40 T - 400 v	3	H	40	250
-	505816550	B 80/250.40 T - 230 v	1			

CIRCOLATORI GEMELLARI flangiati/TWIN flanged circulators

UPSD 40-50F	505822040	D 50/250.40 M	1	H	40	250
UPD 40-50F	505822670	D 50/250.40 T - 400 v	3	H	40	250
UPD 40-50F	505822550	D 50/250.40 T - 230 v	1			
UPSD 40-60 F	505824040	D 56/250.40 M	1	H	40	250
UPSD 40-60 F	505824670	D 56/250.40 T - 400 v	3	H	40	250
-	505824550	D 56/250.40 T - 230 v	1			
UPSD 40-80	505826040	D 80/250.40 M	1	H	40	250
UPSD 40-80	505826670	D 80/250.40 T - 400 v	3	H	40	250
-	505826550	D 80/250.40 T -230 v	1			

CIRCOLATORI COLLETTIVI SINGOLI flangiati/SINGLE flanged circulators

UPS 40-30 F	505900622	BMH 30/250.40T	3	L	40	250
-	505904002	BPH 60/250.40M	1	H	40	250
UPS 40-60/2 F	505904622	BPH 60/250.40T	3	H	40	250
UPS 40-120 F	505907002	BPH 120/250.40M	1	H	40	250



GRUNDFOS	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
UPS 40-120 F	505907622	BPH 120/250.40T	3	H	40	250
UPS 50-30 F	505920622	BMH 30/280.50T	3	L	50	280
UPS 50-60/4 F	505923622	BMH 60/280.50T	3	L	50	280
UPS 50-60/2 F	505924002	BPH 60/280.50M	1	H	50	280
UPS 50-60/2 F	505924622	BPH 60/280.50T	3	H	50	280
UPS 50-120 F	505927622	BPH 120/280.50T	3	H	50	280
-	505928622	BPH 150/280.50T	3	H	50	280
-	505929622	BPH 180/280.50T	3	H	50	280
UPS 65-30 F	505940622	BMH 30/340.65T	3	L	65	340
UPS 65-60/4 F	505943622	BMH 60/340.65T	3	L	65	340
UPS 65-60/2 F	505944002	BPH 60/340.65M	1	H	65	340
UPS 65-60/2 F	505944622	BPH 60/340.65T	3	H	65	340
UPS 65-120 F	505947622	BPH 120/340.65T	3	H	65	340
-	505948622	BPH 150/340.65T	3	H	65	340
-	505949622	BPH 180/340.65T	3	H	65	340
UPS 80-30 F	505960122	BMH 30/360.80T	3	L	80	360
UPS 80-60 F	505963122	BMH 60/360.80T	3	L	80	360
UPS 80-120 F	505967122	BPH 120/360.80T	3	H	80	360
-	505968122	BPH 150/360.80T	3	H	80	360
-	505969122	BPH 180/360.80T	3	H	80	360
DIALOGUE: CIRCOLATORI COLLETTIVI SINGOLI E GEMELLARI ELETTRONICI						
-		BPH-E 60/250.40 M	1	L	40	250
-		DPH-E 60/250.40 M	1	L	40	250
UPE 40-120 F		BPH-E 120/250.40 M	1	L	40	250
UPED 40-120 F		DPH-E 120/250.40 M	1	L	40	250
UPE 50-60 F		BPH-E 60/280.50 M	1	L	50	280
UPED 50-60 F		DPH-E 60/280.50 M	1	L	50	280
UPE 50-120 F		BPH-E 120/280.50 M	1	L	50	280
UPED 50-120 F		DPH-E 120/280.50 M	1	L	50	280
-		BPH-E 180/280.50 M	1	L	50	280
-		DPH-E 180/280.50 M	1	L	50	280
UPE 65-60 F		BPH-E 60/340.65 M	1	L	65	340
UPED 65-60 F		DPH-E 60/340.65 M	1	L	65	340
UPE 65-120 F		BPH-E 120/340.65 M	1	L	65	340
UPED 65-120 F		DPH-E 120/340.65 M	1	L	65	340
-		BPH-E 150/340.65 M	1	L	65	340
-		DPH-E 150/340.65 M	1	L	65	340
UPE 80-120 F		BPH-E 120/360.80 M	1	L	80	360
UPED 80-120 F		DPH-E 120/360.80 M	1	L	80	360
CIRCOLATORI COLLETTIVI GEMELLARI flangiati/TWIN flanged circulators						
UPSD 40-50 F	505910622	DMH 30/250.40 T	3	L	40	250
UPD 40-50 F	505914002	DPH 60/250.40 M	1	H	40	250
UPSD 40-60 F	505914622	DPH 60/250.40 T	3	H	40	250
UPSD 40-120 F	505917002	DPH 120/250.40 M	1	H	40	250
UPSD 40-120 F	505917622	DPH 120/250.40 T	3	H	40	250
UPSD 50-30 F	505930622	DMH 30/280.50 T	3	L	50	280
UPSD 50-60/4 F	505933622	DMH 60/280.50 T	3	L	50	280
UPSD 50-60/2 F	505934002	DPH 60/280.50 M	1	H	50	280
UPSD 50-60/2 F	505934622	DPH 60/280.50 T	3	H	50	280
UPSD 50-120 F	505937622	DPH 120/280.50 T	3	H	50	280
-	505938622	DPH 150/280.50T	3	H	50	280
-	505939622	DPH 180/280.50T	3	H	50	280
UPSD 65-30 F	505950622	DMH 30/340.65 T	3	L	65	340
UPSD 65-60/4 F	505953622	DMH 60/340.65 T	3	L	65	340
UPSD 65-60/2 F	505954002	DPH 60/340.65 M	1	H	65	340
UPSD 65-60/2 F	505954622	DPH 60/340.65 T	3	H	65	340
UPSD 65-120 F	505957622	DPH 120/340.65 T	3	H	65	340
-	505958622	DPH 150/340.65 T	3	H	65	340
-	505959622	DPH 180/340.65T	3	H	65	340
UPSD 80-30 F	505970122	DMH 30/360.80 T	3	L	80	360
UPSD 80-60 F	505973122	DMH 60/360.80 T	3	L	80	360
UPSD 80-120 F	505977122	DPH 120/360.80 T	3	L	80	360
-	505978122	DPH 150/360.80 T	3	L	80	360
-	505979122	DPH 180/360.80T	3	L	80	360
CIRCOLATORI ELETTRONICI SINGOLI a bocchettoni/SINGLE ELECTRONIC CIRCULATORS with unions						
UPE 25-60	505200182	VEA 35/130	1	H	1 1/2"	130
-	505210182	VEA 35/130 - 1/2"	1		1"	130



GRUNDFOS		DAB				
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
UPE 25-40	505230182	VEA 35/180	1	H	1 1/2"	180
UPE 32-40	505240182	VEA 35/180 X	1		2"	180
UPE 25-60	505202182	VEA 55/130	1	H	1 1/2"	130
-	505212182	VEA 55/130 - 1/2"	1		1"	130
UPE 25-25	505232182	VEA 55/180	1	H	1 1/2"	180
UPE 32-60	505242182	VEA 55/180 X	1		2"	180
-	505204182	VEA 65/130	1	H	1 1/2"	130
-	505214182	VEA 65/130 - 1/2"	1		1"	130
-	505234182	VEA 65/180	1	H	1 1/2"	180
-	505244182	VEA 65/180 X	1	H	2"	180
CIRCOLATORI ELETTRONICI SINGOLI flangiati/SINGLE flanged electronic circulators						
-	505980000	VEA 40/190 XM (filettato)	1	L	2"	190
UPE 32-80	505980300	VEA 80/180 XM (filettato)	1	M	2"	180
-	505980050	VEB 40/250.40 M	1	L	40	250
UPE 40-80F	505980400	VEB 100/250.40 M	1	H	40	250
UPE 50-60	505980100	VEB 55/270.50 M	1	L	50	270
UPE 65-60	505980150	VEB 90/340.65 M	1	L	65	340
UPE 80-120	505980700	VEB 90/400.80 T	3	L	80	400
UPE 100-60	505980750	VEB 110/450.100 T	3	L	100	450
CIRCOLATORI ELETTRONICI GEMELLARI flangiati/TWIN flanged electronic circulators						
-	505981050	DEB 40/250.40 M	1	L	40	250
UPED 40-120F	505981400	DEB 100/250.40 M	1	H	40	250
UPED 50-60F	505981100	DEB 55/270.50 M	1	L	50	270
UPED 65-120F	505981150	DEB 90/340.65 M	1	L	65	340
UPED 80-120F	505981700	DEB 90/400.80 T	3	L	80	400
UPED 100-60F	505981750	DEB 110/450.100 T	3	L	100	450
POMPE IN LINEA SINGOLE a bocchettoni/SINGLE IN-LINE PUMPS with unions						
UP 20-30N	105100000	ALM 200 M	1	L	1 1/2"	180
-	105100014	ALM 200 T	3	L	1 1/2"	180
TP 32-90	105100084	ALP 800 M	1	H	1 1/2"	180
TP 32-90	105100094	ALP 800 T	3	H	1 1/2"	180
TP 25-50	105100024	ALM 500 M	1	L	2"	250
TP 25-50	105100034	ALM 500 T	3	L	2"	250
UPS 40-180F	105100124	ALP 2000 M	1	H	2"	250
UPS 40-180F	105100134	ALP 2000 T	3	H	2"	250
POMPE IN LINEA SINGOLE flangiate/SINGLE IN-LINE PUMPS						
-	105110404	KLM 40-300 M	1	L	40	250
TP 40-30/4	105110014	KLM 40-300 T	3	L	40	250
-	105110414	KLP 40-600 M	1	H	40	250
TP 40-60/2	105110214	KLP 40-600 T	3	H	40	250
-	105110424	KLP 40-900 M	1	H	40	250
TP 40-90/2	105110224	KLP 40-900 T	3	H	40	250
-	105110434	KLP 40-1200 M	1	H	40	250
TP 40-120/2	105110234	KLP 40-1200 T	3	H	40	250
-	105110444	KLM 50-300 M	1	L	50	280
TP 50-30/4	105110054	KLM 50-300 T	3	L	50	280
-	105110454	KLM 50-600 M	1	L	50	280
TP 50-60/4	105110074	KLM 50-600 T	3	L	50	280
-	105110464	KLP 50-900 M	1	H	50	280
-	105110244	KLP 50-900 T	3	H	50	280
-	105110474	KLP 50-1200 M	1	H	50	280
TP 50-120/2	105110254	KLP 50-1200 T	3	H	50	280
TP 65-30/4	105110094	KLM 65-300 T	3	L	65	340
TP 65-60/4	105110114	KLM 65-600 T	3	L	65	340
-	105110280	KLP 65-900 T	3	H	65	340
TP 65-120/2	105110290	KLP 65-1200 T	3	H	65	340
TP 80-30/4	105110134	KLM 80-300 T	3	L	80	360
TP 80-60/4	105110150	KLM 80-600 T	3	L	80	360
-	105110320	KLP 80-900 T	3	H	80	360
TP 80-120/2	105110330	KLP 80-1200 T	3	H	80	360
POMPE IN LINEA GEMELLARI flangiate/TWIN IN-LINE PUMPS						
-	105210404	DKLM 40-300 M	1	L	40	250
TPD 40-30/4	105210010	DKLM 40-300 T	3	L	40	250
-	105210414	DKLP 40-600 M	1	H	40	250
TPD 40-60/2	105210210	DKLP 40-600 T	3	H	40	250
-	105210424	DKLP 40-900 M	1	H	40	250
-	105210220	DKLP 40-900 T	3	H	40	250



GRUNDFOS	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
-	105210434	DKLP 40-1200 M	1	H	40	250
TPD 40-120/2	105210230	DKLP 40-1200 T	3	H	40	250
-	105210444	DKLM 50-300 M	1	L	50	280
TPD 50-30/4	105210050	DKLM 50-300 T	3	L	50	280
-	105210454	DKLM 50-600 M	1	L	50	280
TPD 50-60/4	105210070	DKLM 50-600 T	3	L	50	280
-	105210464	DKLP 50-900 M	1	H	50	280
-	105210240	DKLP 50-900 T	3	H	50	280
-	105210474	DKLP 50-1200 M	1	H	50	280
TPD 50-120/2	105210250	DKLP 50-1200 T	3	H	50	280
TPD 65-30/4	105210090	DKLM 65-300 T	3	L	65	340
TPD 65-60/4	105210110	DKLM 65-600 T	3	L	65	340
-	105210280	DKLP 65-900 T	3	H	65	340
TPD 65-120/2	105210290	DKLP 65-1200 T	3	H	65	340
TPD 80-30/4	105210130	DKLM 80-300 T	3	L	80	360
TPD 80-60/4	105210150	DKLM 80-600 T	3	L	80	360
-	105210320	DKLP 80-900 T	3	H	80	360
TPD 80-120/2	105210330	DKLP 80-1200 T	3	H	80	360
POMPE IN LINEA SINGOLE flangiate/SINGLE IN-LINE PUMPS (2 poles)						
-	105130050	CP 40/1900 T	3	H	40	390
-	105130070	CP 40/2300 T	3	H	40	390
-	105130090	CP 40/2700 T	3	H	40	390
-	105130110	CP 40/3500 T	3	H	40	390
TP 40-360/2	105130300	CP 40/3800 T	3	H	40	390
TP 40-470/2	105130310	CP 40/4700 T	3	H	40	390
TP 40-580/2	105130320	CP 40/5500 T	3	H	40	390
-	105130330	CP 40/6200 T	3	H	40	390
-	105130170	CP 50/2200 T	3	H	50	425
-	105130190	CP 50/2600 T	3	H	50	425
-	105130210	CP 50/3100 T	3	H	50	425
-	105130230	CP 50/4100 T	3	H	50	425
TP 50-440/2	105130340	CP 50/4600 T	3	H	50	400
-	105130350	CP 50/5100 T	3	H	50	400
TP 50-570/2	105130360	CP 50/5650 T	3	H	50	400
TP 65-190/2	105130370	CP 65/1700 T	3	H	65	360
TP 65-230/2	105130380	CP 65/2100 T	3	H	65	360
TP 65-260/2	105130390	CP 65/2550 T	3	H	65	360
TP 65-340/2	105130400	CP 65/3250 T	3	H	65	400
TP 65-410/2	105130410	CP 65/3700 T	3	H	65	400
-	105130420	CP 65/5100 T	3	H	65	440
TP 65-550/2	105130430	CP 65/5800 T	3	H	65	440
TP 80-330/2	105130440	CP 80/3050 T	3	H	80	440
-	105130450	CP 80/3650 T	3	H	80	440
TP 80-400/2	105130460	CP 80/4100 T	3	H	80	440
-	105130470	CP 80/4400 T	3	H	80	500
TP 80-520/2	105130480	CP 80/5100 T	3	H	80	500
TP 80-570/2	105130490	CP 80/5700 T	3	H	80	500
TP 100-250/2	105130500	CP 100/2400 T	3	H	100	525
-	105130510	CP 100/2850 T	3	H	100	525
TP 100-310/2	105130520	CP 100/3400 T	3	H	100	525
-	105130530	CP 100/4200 T	3	H	100	550
TP 100-480/2	105130540	CP 100/4700 T	3	H	100	550
-	105130550	CP 100/5500 T	3	H	100	550
-	105130560	CP 100/5700 T	3	H	100	550
-	105130570	CP 100/6800 T	3	H	100	600
POMPE IN LINEA GEMELLARI/TWIN IN-LINE PUMPS (2 poles)						
-	105230300	DCP 40-1250 T	3	H	40	340
TPD 40-190/2	105230310	DCP40-1650 T	3	H	40	340
TPD 40-230/2	105230320	DCP 40-2050 T	3	H	40	340
TPD 40-270/2	105230330	DCP 40-2450 T	3	H	40	340
-	105230340	DCP 50-1550 T	3	H	50	365
TPD 50-240/2	105230350	DCP 50-1900 T	3	H	50	365
TPD 50-290/2	105230360	DCP 50-2450 T	3	H	50	365
-	105230370	DCP 50-3000 T	3	H	50	365
-	105230380	DCP 50-3650 T	3	H	50	410
-	105230390	DCP 65-2300 T	3	H	65	410
-	105230400	DCP 65-2650 T	3	H	65	450



GRUNDFOS	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
TPD 65-340/2	105230410	DCP 65-3250 T	3	H	65	450
-	105230420	DCP 65-3700 T	3	H	65	450
TPD 80-250/2	105230430	DCP 80-2530 T	3	H	80	450
TPD 80-330/2	105230440	DCP 80-3050 T	3	H	80	510
-	105230450	DCP 80-3650 T	3	H	80	510
TPD 80-400/2	105230460	DCP 80-4100 T	3	H	80	510
-	105230470	DCP 100-2450 T	3	H	100	630
-	105230480	DCP 100-2750 T	3	H	100	630
TPD 100-250/2	105230490	DCP 100-2800 T	3	H	100	630
-	105230500	DCP 100-2900 T	3	H	100	630
-	105230510	DCP 100-3300 T	3	H	100	630
TPD 100-310/2	105230520	DCP 100-3750 T	3	H	100	630
CM 4 POLI (4poles)						
TP 40-30/4	105121290	CM 40-440 T	3	L	40	390
TP 40-60/4	105121310	CM 40-540 T	3	L	40	390
TP 40-90/4	105121330	CM 40-670 T	3	L	40	390
TP 40-100/4	105121350	CM 40-870 T	3	L	40	390
TP 40-130/4	105122100	CM 40-1300 T	3	L	40	380
TP 40-160/4	105122110	CM 40-1450 T	3	L	40	380
TP 50-30/4	105121470	CM 50-510 T	3	L	50	425
TP 50-60/4	105121490	CM 50-630 T	3	L	50	425
TP 50-90/4	105121510	CM 50-780 T	3	L	50	425
TP 50-110/4	105121530	CM 50-1000 T	3	L	50	425
TP 50-130/4	105122120	CM 50-1270 T	3	L	50	400
TP 50-160/4	105122130	CM 50-1420 T	3	L	50	400
TP 65-30/4	105120430	CM 65-550 T	3	L	65	475
TP 65-60/4	105120450	CM 65-650 T	3	L	65	475
TP 65-90/4	105121670	CM 65-850 T	3	L	65	475
TP 65-110/4	105121690	CM 65-960 T	3	L	65	475
TP 65-130/4	105120510	CM 65-1280 T	3	L	65	475
TP 65-150/4	105120530	CM 65-1400 T	3	L	65	475
TP 80-60/4	105121810	CM 80-560 T	3	L	80	525
TP 80-70/4	105121830	CM 80-650 T	3	L	80	525
-	105120650	CM 80-900 T	3	L	80	525
TP 80-90/4	105120670	CM 80-980 T	3	L	80	525
TP 80-110/4	105120690	CM 80-1200 T	3	L	80	525
-	105120700	CM 80-1330 T	3	L	80	525
TP 80-150/4	105120710	CM 80-1500 T	3	L	80	525
TP 100-30/4	105120810	CM 100-350 T	3	L	100	550
TP 100-60/4	105122030	CM 100-550 T	3	L	100	550
TP 100-70/4	105120870	CM 100-750 T	3	L	100	550
TP 100-90/4	105120880	CM 100-950 T	3	L	100	550
TP 100-130/4	105120890	CM 100-1500 T	3	L	100	550
TP 100-190/4	105120900	CM 100-1800 T	3	L	100	630
TP 100-200/4	105120910	CM 100-2000 T	3	L	100	630
-	105121000	CM 125-880 T	3	L	125	630
TP 125-150/4	105121010	CM 125-1500 T	3	L	125	630
TP 125-240/5	105121020	CM 125-2400 T	3	L	125	630
-	105121080	CM 150-1000 T	3	L	150	690
TP 150-130/4	105121090	CM 150-1250 T	3	L	150	690
TP 150-170/4	105121100	CM 150-1700 T	3	L	150	755
TP 150-210/4	105121110	CM 150-2100 T	3	L	150	755
TP 150-230/4	105121120	CM 150-2350 T	3	L	150	755
DCM POMPE GEMELLARI/TWIN IN-LINE PUMPS (4 poles)						
TPD 40-30/4	105222100	DCM 40-380 T	3	L	40	340
-	105222110	DCM 40-460 T	3	L	40	340
-	105222120	DCM 40-620 T	3	L	40	340
TPD 50-60/4	105222130	DCM 50-460 T	3	L	50	365
-	105222140	DCM 50-630 T	3	L	50	365
TPD 50-90/4	105222150	DCM 50-880 T	3	L	50	410
-	105222160	DCM 65-670 T	3	L	65	450
TPD 65-90/4	105222170	DCM 65-820 T	3	L	65	450
-	105222180	DCM 65-900 T	3	L	65	450
TPD 80-60/4	105222190	DCM 80-630 T	3	L	80	510
TPD 80-70/4	105222200	DCM 80-730 T	3	L	80	510
TPD 80-90/4	105222210	DCM 80-860 T	3	L	80	510
TPD 80-110/4	105222220	DCM 80-1020 T	3	L	80	510



GRUNDFOS	DAB					
MODEL	CODICE	MOD.	~V	* VEL.	DN	L
TPD 100-90/4	105222230	DCM 100-820 T	3	L	100	630
TPD 100-110/4	105222240	DCM 100-1000 T	3	L	100	630
TPD 100-130/4	105222250	DCM 100-1200 T	3	L	100	630
-	105222260	DCM 100-1450 T	3	L	100	630
ELETRONICI FLANGIATI/SINGLE ELECTRIC PUMPS						
TPE 40-60	105110610	KLPE 40/600 M	1	H	40	250
TPE 40-120	105110630	KLPE 40/1200 M	1	H	40	250
TPE 50-60	105110650	KLME 50/600 M	1	L	50	280
-	105110670	KLPE 50/1200 M	1	H	50	280
TPE 65-60	105110690	KLME 65/600 M	1	L	65	340
TPE 65-120	105110710	KLPE 65/1200 T	3	H	65	340
-	105110730	KLME 80/600 M	1	L	80	360
TPE 80-120	105110750	KLPE 80/1200 T	3	H	80	360
ELETRONICI GEMELLARI/TWIN ELECTRIC PUMPS						
TPED 40-60	105210610	DKLPE 40/600 M	1	H	40	250
TPED 40-120	105210630	DKLPE 40/1200 M	1	H	40	250
TPED 50-60	105210650	DKLME 50/600 M	1	L	50	280
-	105210670	DKLME 50/1200 M	1	L	50	280
TPED 65-60	105210690	DKLME 65/600 M	1	L	65	340
TPED 65-120	105210710	DKLPE 65/1200 T	3	H	65	340
TPED 80-60	105210730	DKLME 80/600 M	1	L	80	360
TPED 80-120	105210750	DKLPE 80/1200 T	3	H	80	360
CME ELETRONICI 4 poli/ELECTRIC PUMPS 4 poles						
TPE 40-60/4 (+Q)	105124010	CME 40/450 M	1	L	40	390
TPE 40-90/4	105124030	CME 40/870 M	1	L	40	390
TPE 50-60/4 (+Q)	105124050	CME 50/630 M	1	L	50	425
TPE 50-110/4 (+Q)	105124070	CME 50/1000 M	1	L	50	425
TPE 65-60/4	105124090	CME 65/650 M	1	L	65	475
TPE 65-90/4	105124110	CME 65/960 M	1	L	65	475
TPE 65-150/4	105124130	CME 65/1400 T	3	L	65	475
TPE 80-60/4	105124150	CME 80/650 M	1	L	80	525
TPE 80-90/4	105124170	CME 80/980 T	3	L	80	525
TPE 80-150/4	105124200	CME 80/1330 T	3	L	80	525
TPE 100-60/4	105124220	CME 100/550 M	1	L	100	550
TPE 100-90/4	105124240	CME 100/950 T	3	L	100	550
TPE 100-130/4	105124250	CME 100/1500 T	3	L	100	550
TPE 100-170/4	105124260	CME 100/1800 T	3	L	100	630
TPE 100-200/4	105124270	CME 100/2000 T	3	L	100	630
-	105124280	CME 125/880 T	3	L	125	630
TPE 125-160/4	105124290	CME 125/1500 T	3	L	125	630
TPE 150-130/4	105124310	CME 150/1000 T	3	L	150	690
TPE 150-160/4	105124320	CME 150/1250 T	3	L	150	690

* VELOCITA :

L = velocità bassa (Low)

M = velocità media (Medium)

H = velocità alta (High)